



# ООО "Профи-Кабель"

кабельные системы обогрева и антиобледенения

Web: <http://www.proficabel.ru>

E-mail: [info@proficabel.ru](mailto:info@proficabel.ru)

DEVI 2009

		EURO
19112003	-130	69,44
19112034	-131	69,44
19112057	-132	88,10
19116700	-527	87,06
19116406	-530 ELKO	87,06
19116407	-531 ELKO	87,06
19116408	-532 ELKO	110,90
19116605	-535 ELKO	101,57
19150006	-550 . . JUSSI,	134,73
19150070	-550 . . ELKO,	139,92
19190040	Devilink DCC (+PSU) 50	1 219,86
<b>19190041</b>	<b>Devilink DCC (+NSU) 50</b>	<b>1 219,86</b>
19190042	Devilink DCC (+PSU) 5	661,23
<b>19190043</b>	<b>Devilink DCC (+NSU) 5</b>	<b>661,23</b>
19190004	DRS Devilink.	87,06
19190005	DFT Devilink.	90,17
19190006	DCC BSU ( ) Devilink.	49,75
<b>19190060</b>	<b>PSU ( ) Devilink.</b>	<b>54,93</b>
<b>19190061</b>	<b>NSU ( ) Devilink.</b>	<b>62,18</b>
19113601	. -330, +5°C-+45°C .	129,55
19113600	. - 330, -10°C-+10°C .	129,55
19113603	. -330, +30°C-+90°C , .	134,73
19113604	. -330, +60°C-+160°C, .	134,73
19113234	- 316, -10°C-+50°C , .	140,95
19116334	-610	116,08
19150500	Devicom PC-PRO	354,45
19150505	(Gateway)	1 107,93
<b>19117010</b>	<b>-750</b>	<b>186,55</b>
<b>19117013</b>	<b>-752</b>	<b>277,76</b>
<b>19117011</b>	<b>-754</b>	<b>385,55</b>
19150803	-850 24	500,59
<b>19905210</b>	<b>( ) Devireg -850</b>	<b>69,44</b>
<b>2</b>		
19114008		33,17
19116060	, IP44	39,38
<b>19121440</b>	<b>3,0 , 15</b>	<b>15,55</b>
19101344	2,5 , 16,7	47,89
19122003	-850 ( .+ .) - 1 .	269,47
19122028	-850 ( .+ .) - 1 .	267,39
<b>3</b>		
18055442	1- . .	22,80
18055350	2- . .	22,80
18055240	1- . .	22,80
18055510	2- . .	22,80
19805704	P	44,57
19805761	.	22,80
<b>86000080</b>	<b>(JOINING-KIT FOR SILICONE)</b>	<b>19,69</b>
19805076	( ) 0,038 X 50 .	24,87
19805191	( 25 )	7,15
19805258	( 25 )	7,15
19805192	Deviclip Roofhook. ( 25 )	10,16

19805193	Deviclip Guardhook. : (20 )+ (10 )+ (30 )	19,90
19805366	DPH-10 (1" 3/4")	25,08
19808187	5	7,25
19808195	25	29,02
19808197	(0,05 50 )	119,71
19808198	(0,05 50 )	310,92
19808222	25	97,42
19002300	Devicell Dry (0,013 0,5 1,0 ) - 10	259,10
18055300	Flexkit for Devicell Dry. Devicell Dry - 1	13,47
<b>4</b>	<b>Devimat</b>	
<b>4.1</b>	<b>DSVF-150 220 / 230 S ( ), 2</b>	
83000578	DSVF-150 69 / 75 0,45 x 1 0,5	95,35
83000580	DSVF-150 137 / 150 0,45 x 2 1	106,75
83000582	DSVF-150 206 / 225 0,45 x 3 1,5	125,41
83000584	DSVF-150 274 / 300 0,45 x 4 2	143,03
83000586	DSVF-150 343 / 375 0,45 x 5 2,5	161,68
83000588	DSVF-150 412 / 450 0,45 x 6 3	179,30
83000590	DSVF-150 480 / 525 0,45 x 7 3,5	197,96
83000592	DSVF-150 549 / 600 0,45 x 8 4	215,57
83000594	DSVF-150 686 / 750 0,45 x 10 5	241,48
83000596	DSVF-150 823 / 900 0,45 x 12 6	269,47
83000597	DSVF-150 961 / 1050 0,45 x 14 7	292,27
83000598	DSVF-150 1098 / 1200 0,45 x 16 8	315,07
83000599	DSVF-150 1235 / 1350 0,45 x 18 9	335,80
83000600	DSVF-150 1372 / 1500 0,45 x 20 10	356,53
<b>4.2</b>	<b>DTIF-150 220 / 230 S ( ), 2</b>	
83030080	DTIF-150 69 / 75 0,45 x 1 0,5	120,22
83030081	DTIF-150 137 / 150 0,45 x 2 1	131,62
83030082	DTIF-150 206 / 225 0,45 x 3 1,5	152,35
83030083	DTIF-150 274 / 300 0,45 x 4 2	175,15
83030084	DTIF-150 343 / 375 0,45 x 5 2,5	196,92
83030085	DTIF-150 412 / 450 0,45 x 6 3	219,72
83030086	DTIF-150 480 / 525 0,45 x 7 3,5	242,52
83030087	DTIF-150 549 / 600 0,45 x 8 4	269,47
83030088	DTIF-150 686 / 750 0,45 x 10 5	305,74
83030089	DTIF-150 823 / 900 0,45 x 12 6	344,09
83030090	DTIF-150 961 / 1050 0,45 x 14 7	382,44
83030091	DTIF-150 1098 / 1200 0,45 x 16 8	420,78
83030092	DTIF-150 1235 / 1350 0,45 x 18 9	459,13
83030093	DTIF-150 1372 / 1500 0,45 x 20 10	498,52
83030094	DTIF-150 1647 / 1800 0,45 x 24 12	541,01
<b>4.3</b>	<b>(230 )</b>	
83000300	DSVF-150 75 0,8 x 0,6	104,68
83000301	DSVF-150 50 0,5 x 0,7	100,53
83000302	DSVF-140 48 0,6 x 0,6	95,35
<b>5</b>	<b>Deviflex</b>	
<b>5.1</b>	<b>DTIP-10 220 / 230</b>	
89823058	DTIP-10 91 / 100 10	67,37
89823090	DTIP-10 183 / 200 20	90,17
89823132	DTIP-10 366 / 400 40	139,92
89823173	DTIP-10 549 / 600 60	189,66
89823215	DTIP-10 732 / 800 80	239,41
89823256	DTIP-10 915 / 1000 100	289,16
89823272	DTIP-10 1098 / 1200 120	340,98
89823298	DTIP-10 1280 / 1400 140	394,87
<b>5.2</b>	<b>DTIV-9 ( , )</b>	
89207750	DTIV-9 23 / 25 3	97,42
89207752	DTIV-9 41 / 45 5	104,68
89207754	DTIV-9 59 / 65 7	111,93
89207756	DTIV-9 82 / 90 10	121,26

89207758	DTIV-9	101 / 110	12	128,52
89207760	DTIV-9	124 / 135	15	137,84
89207762	DTIV-9	169 / 185	20	150,28
89207764	DTIV-9	206 / 225	25	162,72
89207766	DTIV-9	250 / 270	30	178,26
89207768	DTIV-9	288 / 315	35	193,81
89207770	DTIV-9	329 / 360	40	209,36
89207772	DTIV-9	412 / 450	50	238,38
89207774	DTIV-9	494 / 540	60	267,39
89207776	DTIV-9	576 / 630	70	293,31
89207778	DTIV-9	659 / 720	80	319,22
89207780	DTIV-9	741 / 810	90	345,13
89207782	DTIV-9	823 / 900	100	371,04
<b>5.3</b>	<b>DTIP-18</b>			
89833511	DTIP-18	125 / 134	7	62,18
89833537	DTIP-18	250 / 270	15	80,84
89833552	DTIP-18	360 / 395	22	97,42
89833578	DTIP-18	490 / 535	29	116,08
89833594	DTIP-18	625 / 680	37	136,81
89833610	DTIP-18	725 / 790	44	155,46
89833636	DTIP-18	855 / 935	52	175,15
89833651	DTIP-18	980 / 1075	59	192,77
89833677	DTIP-18	1115 / 1220	68	219,72
89833693	DTIP-18	1225 / 1340	74	231,12
89833719	DTIP-18	1360 / 1485	82	251,85
89833735	DTIP-18	1485 / 1625	90	273,61
89833750	DTIP-18	1720 / 1880	105	311,96
89833776	DTIP-18	1955 / 2135	118	344,09
89833792	DTIP-18	2100 / 2295	130	378,29
89833794	DTIP-18	2535 / 2755	155	440,48
<b>5.4</b>	<b>DTI -10</b>			
89825200	DTIE-10	18 / 20	2	79,80
89825203	DTIE-10	37 / 40	4	81,88
89825206	DTIE-10	55 / 60	6	88,10
89825209	DTIE-10	73 / 80	8	91,20
89825212	DTIE-10	91 / 100	10	99,50
89825215	DTIE-10	146 / 160	16	109,86
89825218	DTIE-10	183 / 200	20	129,55
89825219	DTIE-10	229 / 250	25	133,70
89825221	DTIE-10	274 / 300	30	148,21
89825222	DTIE-10	320 / 350	35	166,86
89825224	DTIE-10	366 / 400	40	184,48
89825227	DTIE-10	457 / 500	50	200,03
89825230	DTIE-10	549 / 600	60	222,83
89825233	DTIE-10	640 / 700	70	245,63
89825236	DTIE-10	732 / 800	80	273,61
89825239	DTIE-10	823 / 900	90	302,63
89825242	DTIE-10	915 / 1000	100	334,76
89825245	DTIE-10	1098 / 1200	120	371,04
89825248	DTIE-10	1281 / 1400	140	412,49
89825251	DTIE-10	1464 / 1600	160	468,46
89825254	DTIE-10	1647 / 1800	180	531,68
89825257	DTIE-10	1830 / 2000	200	603,19
<b>5.5</b>	<b>DTI -17</b>			
89842560	DTIE-17	137 / 150	9	82,91
89842563	DTIE-17	183 / 200	12	100,53
89842566	DTIE-17	274 / 300	18	111,93
89842569	DTIE-17	366 / 400	22,5	121,26
89842572	DTIE-17	457 / 500	29	132,66
89842575	DTIE-17	549 / 600	35	150,28
89842578	DTIE-17	640 / 700	42	169,97
89842581	DTIE-17	732 / 800	45	180,34
89842584	DTIE-17	823 / 900	54	206,25

89842587	DTIE-17	961 / 1050	61	226,97
89842590	DTIE-17	1098 / 1200	68	247,70
89842593	DTIE-17	1189 / 1300	77	274,65
89842596	DTIE-17	1418 / 1550	93	324,40
89842599	DTIE-17	1647 / 1800	109	357,56
89842602	DTIE-17	1921 / 2100	122	393,84
89842605	DTIE-17	2150 / 2350	138	442,55
89842608	DTIE-17	2379 / 2600	154	488,15
89842611	DTIE-17	2653 / 2900	171	538,94
<b>5.6</b>	<b>DSIG-20</b>			
84005232	DSIG-20	165 / 180	9	76,69
84005234	DSIG-20	265 / 280	14	81,88
84005236	DSIG-20	329 / 360	18	84,99
84005238	DSIG-20	475 / 520	26	91,20
84005240	DSIG-20	585 / 640	32	97,42
84005242	DSIG-20	730 / 800	39	108,82
84005244	DSIG-20	980 / 1070	53	128,52
84005246	DSIG-20	1155 / 1260	63	151,32
84005248	DSIG-20	1340 / 1465	74	178,26
84005250	DSIG-20	1665 / 1820	91	218,68
84005252	DSIG-20	2025 / 2215	110	264,29
84005254	DSIG-20	2415 / 2640	131	326,47
84005256	DSIG-20	2900 / 3170	159	395,91
84005258	DSIG-20	3525 / 3855	192	477,79
84005260	DSIG-20	4180 / 4565	228	567,96
<b>6</b>	<b>Deviflex</b>			
84710017	DSOT 0,0132 O /			2,39
84710019	DSOT 0,0322 O /			2,39
84710020	DSOT 0,0400 O /			2,39
84710022	DSOT 0,052 O /			2,39
84710024	DSOT 0,0907 O /			2,39
84710025	DSOT 0,130 O /			2,39
84710026	DSOT 0,188 O /			2,39
84710039	DSOT 1,00 O /			2,39
84710049	DSOT 0,214 O /			2,39
84710053	DSOT 1,96 O /			2,39
84805400	DTCE 9,356 /			3,21
84805403	DTCE 4,192 /			3,21
84805406	DTCE 2,368 /			3,21
84805409	DTCE 1,519 /			3,21
84805412	DTCE 1,057 /			3,21
84805415	DTCE 0,735 /			3,21
84805418	DTCE 0,567 /			3,21
84805421	DTCE 0,451 /			3,21
84805424	DTCE 0,367 /			3,21
84805427	DTCE 0,257 /			3,21
84805430	DTCE 0,19 /			3,21
84805433	DTCE 0,146 /			3,21
84805436	DTCE 0,115 /			3,21
84805439	DTCE 0,092 /			3,21
84805445	DTCE 0,055 /			3,21
84805442	DTCE 0,07 /			3,21
	<b>Deviflex DTCE-30 c</b>			
89846000	DTCE-30, 10m, 300W, 230V			100,53
89846002	DTCE-30, 14m, 400W, 230V			107,79
89846004	DTCE-30, 20m, 630W, 230V			121,26
89846006	DTCE-30, 27m, 830W, 230V			136,81
89846008	DTCE-30, 34m, 1020W, 230V			152,35
89846010	DTCE-30, 40m, 1250W, 230V			167,90
89846012	DTCE-30, 45m, 1350W, 230V			184,48
89846014	DTCE-30, 50m, 1440W, 230V			205,21
89846016	DTCE-30, 55m, 1700W, 230V			225,94

89846018	DTCE-30, 63m, 1860W, 230V	246,67
89846020	DTCE-30, 70m, 2060W, 230V	267,39
89846022	DTCE-30, 78m, 2340W, 230V	288,12
89846024	DTCE-30, 85m, 2420W, 230V	308,85
89846026	DTCE-30, 95m, 2930W, 230V	334,76
89846028	DTCE-30, 110m, 3290W,230V	376,22
89846030	DTCE-30, 125m, 3680W,230V	423,89
89846032	DTCE-30, 140m, 4110W,230V	471,57
<b>89846050</b>	<b>DTCE-30, 17,5m, 520W,400V</b>	<b>139,92</b>
<b>89846053</b>	<b>DTCE-30, 35m, 1090W, 400V</b>	<b>186,55</b>
<b>89846056</b>	<b>DTCE-30, 70m, 2160W, 400V</b>	<b>279,83</b>
<b>89846060</b>	<b>DTCE-30, 110m, 3225W,400V</b>	<b>383,47</b>
<b>89846062</b>	<b>DTCE-30, 145m, 4295W,400V</b>	<b>476,75</b>
<b>89846063</b>	<b>DTCE-30, 170m, 4955W,400V</b>	<b>544,12</b>
<b>89846065</b>	<b>DTCE-30, 190m, 5770W,400V</b>	<b>601,12</b>
<b>89846067</b>	<b>DTCE-30, 215m, 6470W,400V</b>	<b>668,49</b>
<b>6.1</b>		
98300666	. Devi-iceguard 18 ( , 305)	12,44
<b>98300667</b>	<b>. Devi-iceguard 18 ( , 800)</b>	<b>12,44</b>
<b>98300664</b>	<b>. Devi-pipeguard 33 ( , 305)</b>	<b>12,44</b>
<b>98300665</b>	<b>. Devi-pipeguard 33 ( , 800)</b>	<b>12,44</b>
98300662	. Devi-pipeguard 25 ( , 305)	12,44
<b>98300663</b>	<b>. Devi-pipeguard 25 ( , 800)</b>	<b>12,44</b>
<b>98300670</b>	<b>. Devi-hotwatt 55 ( , 305)</b>	<b>12,44</b>
<b>6.2</b>	<b>DPH-10</b>	
98300020	DPH-10, 2 20 +10°C	76,69
98300021	DPH-10, 4 40 +10°C	100,53
98300022	DPH-10, 6 60 +10°C	120,22
98300023	DPH-10, 8 80 +10°C	138,88
98300024	DPH-10, 10 100 +10°C	158,57
98300025	DPH-10, 12 120 +10°C	178,26
98300026	DPH-10, 14 140 +10°C	196,92
98300027	DPH-10, 16 160 +10°C	216,61
98300028	DPH-10, 19 190 +10°C	246,67
98300029	DPH-10, 22 220 +10°C	275,69
98300030	DPH-10, 25 250 +10°C	304,71
<b>6.3</b>		
84840212	DSIA-25 2036 / 2225 89	232,16
84840214	DSIA-25 2306 / 2520 100	263,25
84840216	DSIA-25 2713 / 2965 119	338,91
84840218	DSIA-25 3340 / 3650 145	413,53
84840220	DSIA-25 3975 / 4345 174	496,44
84840222	DSIA-25 4698 / 5135 206	586,61
<b>6.4</b>		
<b>83980400</b>	<b>DSVK-25 1160 (400 ) 46</b>	<b>521,32</b>
<b>83980405</b>	<b>DSVK-25 2160 (400 ) 87</b>	<b>855,04</b>
<b>83980410</b>	<b>DSVK-25 3650 (400 ) 146</b>	<b>1 343,19</b>
<b>6.5</b>		
<b>83901070</b>	<b>DSIA-300, 230V, 700W, 0,5 4,6</b>	<b>169,97</b>
<b>83901072</b>	<b>DSIA-300, 230V, 1200W, 0,5 7,8</b>	<b>210,39</b>
<b>83901074</b>	<b>DSIA-300, 230V, 1600W, 0,5 10,5</b>	<b>258,07</b>
<b>83901076</b>	<b>DSIA-300, 230V, 1900W, 0,5 12,9</b>	<b>297,45</b>
<b>83901078</b>	<b>DSIA-300, 230V, 2150W, 0,5 14,5</b>	<b>313,00</b>
<b>83901080</b>	<b>DSIA-300, 230V, 2460W, 0,5 16,2</b>	<b>347,20</b>
<b>83901082</b>	<b>DSIA-300, 230V, 2900W, 0,5 19,2</b>	<b>434,26</b>
<b>83901084</b>	<b>DSIA-300, 230V, 3500W, 0,5 23,9</b>	<b>523,39</b>
<b>6.6</b>		
<b>3053154</b>	<b>DSIZ 0,530 OHM/M</b>	<b>4,15</b>
<b>3053303</b>	<b>DSIZ 3,340 OHM/M</b>	<b>4,15</b>
<b>3053428</b>	<b>DSIZ 18,00 OHM/M</b>	<b>4,15</b>
<b>3053451</b>	<b>DSIZ 24,20 OHM/M</b>	<b>4,15</b>

<b>7</b>	<b>Devirail (230 )</b>					
98804941		40				82,91
98804958		40				92,24
<b>98805195</b>	<b>/</b>	<b>20</b>	<b>/40</b>	<b>/60</b>	<b>12 c</b>	<b>27,98</b>
98805203	/	20	/40	/60	12	23,84
98806144		20				80,84
98806151		20				86,02
98808140		60				107,79
98808157		60				114,01
<b>98807068</b>		<b>40</b>				<b>215,00</b>